




1 BR0616 - 16 FT ARC VIEW



2 BR0616 - PERSPECTIVE VIEW



16 FT BUILDRADIUS FORM SPECIFICATIONS		
	IMPERIAL	METRIC
BLOCK ANGLE	11.25°	11.25°
OUTSIDE PANEL AREA	2.67FT ²	.2477m ²
INSIDE PANEL AREA	2.42FT ²	.2251m ²
OUTER PANEL ARC LENGTH	2FT 0IN	60.96M
INNER PANEL ARC LENGTH	1-FT 9-13/16-IN	55CM
OUTER RADIUS	10-FT 2-1/4-IN	310.47CM
INNER RADIUS	9-FT 3-1/4-IN	282.54CM
STRAIGHT SECTION LENGTHS	0-IN	0-CM
CONCRETE VOLUME	0.04715 YD ³	0.036048 m ³



3 BR0616 - TOP VIEW

NOTES:

1. BUILDRADIUS FORMS ARE SIZED BY THE LENGTH OF THE OUTER PANEL AT 90° ARC. THE RADIUS AND DIAMETER OF THE FORMS ARE GIVEN IN THE ACCOMPANYING CHART.
2. TO CREATE A RUNNING BOND WHEN INTEGRATING WITH A STRAIGHT BLOCK WALL, CUT THE FORM IN HALF, VERTICALLY AT THE CENTERLINE (CL) USING ONE HALF OF THE BLOCK AT EACH END ON EVERY COURSE.
3. BLOCK COURSING 1'-4".

DATE / REVISION / BY	7-1-23 / 1 / AQ
SCALE	NTS
FILE NAME	1.506 - BR616